

Material Safety Data Sheet

Product Identification: OSC 1001, Color I.D. Brown

Product Description: Sorbent formula optimized for Open Waters. This ecologically benign formula is formulated for the highest sorption, highest flotation and lowest solubility.

Please Note: In its unused form, OSC's' absorbent is considered non-hazardous. The information provided on this MSDS is based upon this product's classification as a non-hazardous material. However, this product may be used to absorb compatible fluids which are considered hazardous. This absorbent does not render fluids nonflammable, neutral, or less hazardous. With this in mind, please refer to the MSDS for the fluids you are absorbing.

Ingredients/Identity Information

Component: Recycled Cellulose Fiber (CAS # 09004-34-6) Component: Fiber Surface Modifier (CAS # 8002-74-2) All components are considered non-hazardous.

Physical/Chemical Characteristics

Boiling Point:	N/A	Flash Point:	510°F
Percent Volatile:	N/A	Specific Gravity:	@20°C = 0.91-0.97
Vapor Pressure (mmHg):	N/A	Solubility in Water:	Negligible
Vapor Density:	N/A	Appearance:	Brown fibrous material
Evaporation Rate:	N/A		

Fire and Explosion Hazard Data	
HMIS/NFPA Health Hazard:	0
HMIS/NFPA Flammability Hazard:	2
HMIS/NFPA Reactivity Hazard:	0
HMIS/NFPA Other Hazard:	N/A
DOT Flammability Classification:	Not Regulated
SARA Title III Reporting Requirements:	None
SARA Sec. 311 & 312 Hazard Class:	N/A
EPA Ozone Depleting Substances:	None
CONEG Heavy Metal Concentrations:	None
OSHA Hazardous Chemicals (29 CFR 1910.1200)	None
TSCA... Components of this material listed as non-hazardous materials, known to the state of California to cause cancer (Prop 65):	None
Materials known to the state of California to cause adverse Reproductive effects (Prop 65):	None

Material Safety Data Sheet

Extinguishing Media: In its unused form: water, chemical foam, dry chemical or CO₂. In its used form: extinguishing media compatible with fluids absorbed.

Special Fire Fighting Procedures: Refer to absorbed fluid(s) MSDS(s). This absorbent does not render fluids nonflammable, neutral, or less hazardous.

Unusual Fire and Explosion Hazards: Refer to absorbed fluid(s) MSDS(s). This absorbent does not render fluids nonflammable, neutral, or less hazardous.

Health Hazard Data

Route(s) of Entry: Inhalation: Possible Carcinogenicity: None Ingestion: Possible NTP: N/A Skin: N/A IARC: N/A Health Hazards (Acute and Chronic): N/A OSHA Regulated: N/A

Signs/Symptoms of Exposure: Breathing of excessive airborne dust may cause symptoms typical of nuisance dust such as coughing, sneezing or minor respiratory irritation. Direct eye contact may cause minor physical or mechanical irritation.

Medical Conditions Generally aggravated by Exposure: N/A

Emergency and First-Aid Procedures: If inhaled, get fresh air. In case of eye irritation, flush with plenty of water. Not considered harmful by ingestion.

Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled: In its purchased or unused form; sweep or vacuum product and dispose of as non-hazardous material.

Waste Disposal Method: Dispose of all waste according to federal, state and local laws.

Precaution to be taken in handling and storing: N/A

Other Precautions: N/A

Control Measures

Respiratory Protection: If dust concentration exceeds exposure limit use NIOSH/MSHA approved dust and mist respirator. Permissible Exposure Limit - None established. We suggest the OSHA nuisance dust limit of 15mg/m³.

Ventilation: Local exhaust or other ventilation that will reduce dust concentrations to less than the recommended Permissible Exposure Limit. Use a personal respirator if dust concentration

Material Safety Data Sheet

exceeds exposure limit.

Eye Protection: If high dust concentrations exist, tight fitting goggles are recommended to reduce dust exposure to the eyes.

Skin Protection: No protection normally required. If irritation occurs, long sleeves and impervious gloves should be worn.

Other Protective Clothing/Equipment: Optional.